

# Hospital Furniture & Hollowware

**SU** Medical Corp  
Manufacturers & Exporters of Surgical, Dental, Hand Tools,  
Beauty Care, Hollowware & Hospital Furniture.



Edition 2013 - 2014



**CE** approved  
ISO 9001:2008  
ISO 13485 : 2003

**Manufacturer & Exporter of Quality Hospital Furniture & Hollowware**





**Description:** Hospital Bed Single Section  
**Art No:** SU-07-7853  
**Dimension:** L(210), W(91), H(55)cm  
**Finish:** Nylon polyester Epoxy Powder Coated after Phosphate Treatment.

**Standard Features:**

- Frame made of rectangular steel tube.
- Flat platform fitted with epoxy coated steel weld mesh.
- Bed ends fitted with vertical and horizontal bars.
- Plastic End Caps fitted on four corners.
- Knock Down Construction.

**Options**

- IV Pole.
- Folding side
- Lifting pole
- 12 cm thick mattress with water proof and flame retardant cover.

**Description:** Flat Ward Bed  
**Art No:** SU-07-7854  
**Dimension:** L(210), W(91), H(55)cm  
**Finish:** Nylon polyester powder coated after phosphate and pre-treatment.

**Standard Features:**

- Main Frame made of rectangular Steel M/S tube.
- Single section mattress platform, with rigid weld-mesh for maximum mattress ventilation.
- Head and foot ends fitted with decorative laminated panels.
- Easy mobility on four Ø 125 mm heavy duty wheels, two with independent brakes.

**Options**

- IV Pole.
- Folding side rails.
- Lifting pole.
- 12 cm thick mattress with water proof and flame retardant cover.





**Description:** Hospital Bed Two Section  
**Art No:** SU-08-7855  
**Dimension:** L(210), W(91), H(55)cm  
**Finish:** Nylon polyester Epoxy Powder Coated after Phosphate Treatment.

**Standard Features:**

- Main frame made from rectangular steel tube.
- Two Section platform fitted with welded wire mesh.
- Single hand operated head rest on step-less positions.
- Bed ends fitted with vertical and horizontal bars.
- Four Plastic stumps.
- Knock Down Construction.

**Options**

- IV Pole.
- Folding side rails.
- Lifting pole.
- 12 cm thick mattress with water proof and flame retardant cover.

**Description:** Sami Fowler Bed (Crank)  
**Art No:** SU-08-7856  
**Finish:** Nylon Polyester Powder Coated after phosphate and pre-treatment

**Standard Features:**

- Main Frame made of rectangular steel tube.
- Two section mattress platform, with weld mesh for maximum mattress ventilation.
- Raising backrest section with hand crank located on foot side of the bed.
- Head and foot ends fitted with decorative laminated panels.
- Easy mobility on four Ø 125 mm heavy wheels, two with independent brakes.

**Options**

- I.V Pole 2 or 4 hooks.
- Foldable side rails
- Lifting Pole
- 12 cm thick mattress with water proof and flame retardant cover.





**Description:** Hospital Bed Two Section  
**Art No:** SU-09-7857  
**Dimension:** L(210), W(91), H(55)cm  
**Finish:** Nylon Polyester Powder Coated after Phosphate and pre-treatment.

**Standard Features:**

- Main frame made of rectangular steel tube.
- Two Section mattress platform, with rigid weld mesh for maximum mattress ventilation.
- Raising backrest section with gas cylinder lever located at both side of the bed.
- Head and foot ends fitted with decorative laminated panels.
- Easy mobility on four Ø 125 mm heavy duty wheels, two with independent brakes.
- Colour-less impact absorbing buffers.

**Options**

- I.V Pole 2 or 4 hooks
- Foldable side Rails
- Lifting Pole
- 12 cm thick mattress with water proof.

**Description:** Fowler Bed  
**Art No:** SU-09-7858  
**Dimension:** L(210), W(91), H(55)cm  
**Finish:** Nylon polyester powder coated after phosphate and pre-treatment.

**Standard Features:**

- Main Frame made of rectangular steel tube.
- Four section mattress platform, with rigid weld-mesh for maximum mattress ventilation.
- Raising backrest & knee break section with hand-crank at foot end.
- Head and foot ends fitted with decorative laminated panels.
- Trendelenberg and reverse trendelenberg position can be achieved by operating the levers located at both sides of the bed.
- Easy mobility on four Ø 125 mm heavy duty wheels, two with independent brakes.
- Colour-less impact absorbing buffers.

**Options**

- I.V Pole 2 or 4 hooks
- Foldable side Rails
- Lifting Pole
- 12 cm thick mattress with water proof.





**Description:** Manually Hi-Low Four Section Bed  
**Art No:** SU-10-7859  
**Dimension:** L(210), W(91), H(55)cm  
**Finish:** Nylon polyester Epoxy Powder Coated after Phosphate Treatment.

#### Standard Features:

- Main Frame made of rectangular steel tube.
- Four section mattress platform, with rigid weld-mesh in fill panels for maximum mattress ventilation.
- Manually operated height adjustment activated by hand-crank located on foot side of the bed.
- Remove able head and foot ends fitted with remove-able decorative laminated panels.
- Raising backrest Knee break section operated by hand-crank at foot end of the bed.
- Trendelenberg and reverse trendelenberg position can be achieved by operating the levers located at foot end of the bed.
- Easy mobility on four Ø 125 mm heavy duty swivel rubber wheel, two with independent brakes.
- Impact absorbing buffers.

#### Options

- IV Pole.
- Folding side rails.
- Lifting pole.
- 12 cm thick mattress with water proof and flame retardant cover.

**Description:** Manually Hi-Low Two Section Bed  
**Art No:** SU-10-7860  
**Dimension:** L(210), W(91), H(55)cm  
**Finish:** Nylon polyester Epoxy Powder Coated after Phosphate Treatment.

#### Standard Features:

- Main Frame made of rectangular steel tube.
- Two section mattress platform, with rigid weld-mesh in fill panels for maximum mattress ventilation.
- Manually operated height adjustment activated by hand-crank located on foot side of the bed.
- Remove able head and foot ends fitted with remove-able decorative laminated panels.
- Raising backrest Knee break section operated by hand-crank at foot end of the bed.
- Trendelenberg and reverse trendelenberg position can be achieved by operating the levers located at foot end of the bed.
- Easy mobility on four Ø 125 mm heavy duty swivel rubber wheel, two with independent brakes.
- Impact absorbing buffers.

#### Options

- IV Pole.
- Folding side rails.
- Lifting pole.
- 12 cm thick mattress with water proof and flame retardant cover.





**Description:** Four Section Hydraulic Profiling Bed  
**Art No:** SU-11-7861  
**Dimension:** L(210), W(91), H(55)cm  
**Finish:** Nylon polyester Epoxy Powder Coated after Phosphate Treatment.

#### Standard Features:

- Framework of rectangular section steel tube, Grinded.
- Four section mattress platform, with rigid weld-mesh in-fill panels for maximum mattress ventilation.
- Hydraulically operated height adjustment activated by foot pedal on side of the bed.
- Removable head and foot ends fitted with decorative laminate panels
- Raising backrest and knee break section operated by hand crank at foot ends of the bed.
- Trendelenberg and reverse Trendelenberg position can be achieved by operating the levers located at foot end of the bed
- Easy mobility on four Ø 125 heavy duty swivel rubber wheels, two with independent brakes.
- Impact absorbing Buffers.

#### Options

- IV Pole.
- Folding side rails.
- Lifting pole.
- 12 cm thick mattress with water proof and flame retardant cover.

**Description:** Four Section Hydraulic Profiling Bed  
**Art No:** SU-11-7862  
**Dimension:** L(210), W(91), H(55)cm  
**Finish:** Nylon polyester Epoxy Powder Coated after Phosphate Treatment.

#### Standard Features:

- Framework of rectangular section steel tube, Grinded.
- Four section mattress platform, with rigid weld-mesh in-fill panels for maximum mattress ventilation.
- Hydraulically operated height adjustment activated by foot pedal on side of the bed.
- Removable head and foot ends fitted with decorative laminate panels
- Raising backrest and knee break section operated by hand crank at foot ends of the bed.
- Trendelenberg and reverse Trendelenberg position can be achieved by operating the levers located at foot end of the bed
- Easy mobility on four Ø 125 heavy duty swivel rubber wheels, two with independent brakes.
- Impact absorbing Buffers.

#### Options

- IV Pole.
- Folding side rails.
- Lifting pole.
- 12 cm thick mattress with water proof and flame retardant cover.





**Description:** Fowler Bed Simple  
**Art No:** SU-12-7863  
**Dimension:** L(210), W(91), H(55)cm  
**Finish:** Nylon polyester Epoxy Powder Coated after Phosphate Treatment.

**Standard Features:**

- Main Frame made of rectangular steel tube, Grinded.
- Four section mattress platform, with mild sheet strips for maximum mattress ventilation.
- Head and foot ends fitted with decorative laminated panels.
- Raising backrest and knees break section adjustable by means of hand crank mechanism.
- Easy mobility on four Ø 125 mm heavy duty swivel rubber wheel, two with independent brakes.
- KNOCK down construction.

IV Pole.

Folding side rails.

Lifting pole.

12 cm thick mattress with water proof and flame retardant cover.

**Description:** Over Bed Table  
**Art No:** SU-12-7864  
**Dimension:** L(81), W(40.5) H(106)cm  
**Finish:** Epoxy powder coated after phosphate treatment

**Standard Features:**

- Constructed from Epoxy coated steel tube.
- Fix Height
- laminated Top.
- Two wheels and two rubber stumps.
- Knock down construction.





**Description:** Side Food Table  
**Art No:** SU-13-7865  
**Dimension:** L(81), W(40.5) H(96.5+112)cm  
**Finish:** Epoxy powder coated after phosphate treatment

**Standard Features:**

- ▣ Base Frame made form rectangular steel tube.
- ▣ Secure height adjustment with gas spring lever on side.
- ▣ Knock down construction.
- ▣ Height adjustable 96.5 cm min to 112cm max
- ▣ Water resistance laminated top.
- ▣ Easy mobility on four independent P.V.C wheels.

**Description:** Side Food Table  
**Art No:** SU-13-7866  
**Dimension:** L(81), W(40.5) H(96.5+112)cm  
**Finish:** Epoxy powder coated after phosphate treatment

**Standard Features:**

- ▣ Constructed from rectangular Tube.
- ▣ Adjustable height on step-less positions
- ▣ Knock down construction.
- ▣ Height adjustable 96.5 cm min to 112cm max
- ▣ Secure locking system.
- ▣ Laminated top.
- ▣ Four independent wheels.





**Description:** Bed Side Locker  
**Art No:** SU-14-7867  
**Dimension:** 40 (L) x 40 (w) x 80 (H) cm  
**Finish:** Epoxy powder coated after phosphate treatment

**Standard Features:**

- Made from round tube and Mild Steel Sheet.
- Pull out Drawer at Top.
- Lower cabinet with single lock-able door.
- Four rubber Stamps.

**Options**

Choice of colors for Laminated Top.  
Wheels Ø 50 mm.

**Description:** Bed Side Cabinet  
**Art No:** SU-14-7868  
**Dimension:** 40 (L) x 40 (w) x 80 (H) cm  
**Finish:** Epoxy powder coated after phosphate treatment

**Standard Features:**

- Completely made from Mild Steel Sheet.
- Three Shelves with one cabinet.
- Lower Cabinet with single lock-able door.
- Mobility on four Ø 50 mm rubber wheels.

**Options**

Choice of colors for Laminated Top.





Description: Infant and Child Cot  
 Art No: **SU-15-7869**  
 Dimension: L(91),W(55),H(124)cm  
 Art No: SEC-15-7870  
 Dimension: L(146), W(86), H(139)cm  
 Finish: Nylon Polyester Powder coated after phosphate and pre-treatment.

#### Standard Features:

- ⇒ Structure made from square steel tubes.
- ⇒ Self-lock sliding side rails on both sides.
- ⇒ Bed ends fitted with vertical bars.
- ⇒ Mobile on Ø 75mm rubber wheel.
- ⇒ knock down construction.

#### Options

I.V pole 2 or 4 hooks  
 10 cm thick mattress with water proof cover.

Description: Tilting Child Cot  
 Art No: **SU-15-7870**  
 Dimension: L(146), W(86), H(139)cm  
 Nylon Polyester Powder coated after phosphate and pre-treatment.

#### Standard Features:

- ⇒ Structure made from square steel tube.
- ⇒ Self-lock sliding rails on both sides.
- ⇒ Bed ends fitted with vertical bars.
- ⇒ Trendelenberg position with lever located at foot panel.
- ⇒ Mobile on Ø 75 mm rubber wheel.
- ⇒ Knock down construction.

#### Options

I.V Pole 2 or 4 hooks.  
 10 cm thick mattress with water proof cover.





Description: Baby Cradel  
Art No: **SU-16-7872**  
Finish: Nylon Polyester Powder Coated after Phosphate and pre-treatment

#### Standard Features:

- ➡ Structure made from mild Steel Tube.
- ➡ Solid wire mesh basket for improve maximum mattress ventilation.
- ➡ One side tilt by simple mechanism.
- ➡ M.S sheet lower shelf.
- ➡ Mobile on PU swivel wheel.  
Ø 50mm, Two with independent brake.
- ➡ Knock down construction

#### Options

5 cm thick mattress with water proof cover

Description: Baby Photo therapy Unit  
Art No: **SU-16-7873**  
Finish: Epoxy powder coated

#### Standard Features:

- ➡ Structure made of rectangular epoxy coated tube.
- ➡ Moveable light box with 4 photo therapy lights.
- ➡ Hight adjustable on any position.
- ➡ Easy mobility on 4, Ø 50 mm casters.
- ➡ Knock down constructions.

#### Options

Five or Six Photo-Therapy  
lights on demand





**Description:** Massage Couches  
**Art No:** SU-17-7874  
**Dimension:** 200 (L) x 80 (w) x 75 (H) cm  
**Finish:** Chrome Plated

**Art No:** SU-17-7875  
**Dimension:** 195 (L) x 62 (w) x 75 (H) cm  
**Finish:** Chrome Plated

#### Standard Features:

- Structure made from Steel Tube.
- Black imitation leather upholstery with 50 mm thick foam padding
- Single hand operated adjustable back rest, with nose cut.
- Paper Roll Holder.
- Knock down construction.

#### Options

- Foldaway mounting step.
- Choice of colors for upholstery.
- Epoxy Coated Paint
- Gas spring operated backrest.



**Description:** Gynecology Couches  
**Art No:** SU-17-7876  
 Gynecology couch with attached footstep.

**Art No:** SU-17-7877  
**Finish:** Chrome Plated

#### Standard Features:

- Structure made from Mild Steel Tube.
- Three sections, back imitation leather upholstery with 50 mm thick foam padding.
- Head and foot sections with step less made adjustment.
- Foam padding
- Aluminum leg supports upholstery with thick 50 mm
- Paper Roll Holder
- Knock down construction.

#### Options

- Steel Stainless with Padded Leg Supports.
- Stainless Steel Tray for Drainage.
- Choice of color for Upholstery.
- Gas spring operated backrest.





**Description:** Gynecologic Couch  
**Art No:** SU-18-7878  
**Dim:** L(178),W(62),H(80)cm  
**Finish:** Epoxy Coated

**Standard Features:**

- Structure Made from mild steel tube.
- Three section couch with black imitation leather upholstery with 50 mm thick foam padding.
- Complete with one liquid S/S tray.
- Sliding One mounting step.
- Two aluminum leg-rest with foam padded.
- Trendlenberg and reverse trendlenberg can be achieved by operating lever on side.
- Four plastic stumps.
- Knock down construction.

**Options**

Stainless Steel Padded Leg Supports.  
 Choice of color for Upholstery.

**Description:** Delivery Bed (Two Part)  
**Art No:** SU-18-7879  
**Dimension:** L(210), W(91), H(55)cm  
**Finish:** Nylon Polyester Powder coated after phosphate and pre-treatment.

**Standard Features:**

- Two parts frame fitted with M/S sheet Leg part moveable strips.
- Head Rest adjustable on any position.
- Two leg rest supports.
- Four rubber stumps and four independent wheels Ø 75 mm.
- Bed ends fitted with laminated sheet panels.
- One Bucket Ring
- Knock down construction

**Options**

I.V Pole 2 or 4 hooks.  
 100mm thick mattress with water proof cover.





Description: Examination Couch  
Art No: **SU-19-7880**  
Dimension: L(187), W(61), H(77) cm  
Finish : Chrome Plated

Description: Examination Couch  
Art No: **SU-19-7881**  
Dimension: L(187), W(61), H(77) cm  
Finish : Chrome Plated

#### Standard Features:

- Structure made form mild steel round tube.
- Black Imitation leather upholstery with 50 mm thick foam padding.
- Single hand operated adjustable backrest.
- Paper Roll Holder .
- Knock down construction.



#### Options

- Foldaway mounting step.
- Choice of colors for upholstery.
- Epoxy Coated Paint
- Gas spring operated backrest.



**Description:** Ward Screen Four Fold  
**Art No:** SU-20-7882  
**Dimension:** H(175),Section W(61)cm  
Extended width 245 cm  
**Finish:** Epoxy Powder Coated

**Standard Features:**

- Frame Completely made of Epoxy coated steel tube.
- Easy movement on twin wheel nylon swivel caster Ø 50 mm.
- Independent curtain for each section.
- Five fold to meet screening requirements

**Option**

Flame retardant Curtains.



**Description:** Ward Screen Three Fold  
**Art No:** SU-20-7883  
**Dimension:** H(175),Section W(61)cm  
Extended width 184 cm  
**Finish:** Chrome Plated

**Standard Features:**

- Frame Completely made of Epoxy coated steel tube.
- Easy movement on twin wheel nylon swivel caster Ø 50 mm.
- Independent curtain for each section.

**Option**

Flame retardant Curtains.



**Description:** Revolving Chair Larg  
**Art No:** SU-21-7884  
**Finish:** Epoxy Powder Coated

**Standard Features:**

- Structure made form round M/S Tube.
- Remove able foot step.
- Smoothly height up-down with mechanism system.
- Seat and back covered with imitation leather upholstery with 50mm thick high foam padding.
- Easy movement on four rubber wheels.
- Knock down construction.

**Option**

Arm rest supports.

**Description:** Revolving Chair  
**Art No:** SU-21-7885  
**Finish:** Epoxy Powder Coated

**Standard Features:**

- Structure made of steel tube based on four legs.
- Mechanism system for height adjustment.
- Seat & Back made form Brown imitation leather upholstery with 50 mm thick High density foam padding.
- Four rubber stumps.

**Option**

Arm rest supports.





**Description:** Revolving Stool (gas spring)  
**Art No:** SU-22-7886

**Standard Features:**

- Rein forced Nylon Base with 5 feet.
- 5 twin wheel PU swivel Castors 50 mm.
- Gas lift for height adjustment up to 140 mm.
- Seat made form black imitation leather upholstery with 50 mm thick high density foam padding.
- Knock down construction.

**Description:** Foot Steps (Double)  
**Art No:** SU-22-7887  
**Dimension:** L(51),W(40),H(32.5) cm  
**Description:** Foot Steps (Double)  
**Art No:** SU-22-7888  
**Dimension:** L(51),W(40),H(32.5) cm  
**Description:** Foot Steps (Single)  
**Art No:** SU-22-7889  
**Dimension:** L(46),W(28),H(22) cm  
**Finish:** Chrome Plated

**Standard Features:**

- Frame made from chrome plated M.S steel tube.
- Step made from MDF,covered with anti slip rubber pad.
- Knock down construction.





Description: Infusion Stands  
Art No: **SU-23-7890**  
Dimension: IV Stand with Heavy Nylon Base & SS hooks

Art No: **SU-23-7891**  
Dimension: IV Stand with Stainless Steel Base & SS hooks

Art No: **SU-23-7892**  
Dimension: IV Stand with Nylon Base & SS Hooks

#### Standard Features:

- Telescope Stainless Steel 1 1/2" / 10 Tubes.
- 5 Twin Wheel Swivel Castors Ø 50 mm.
- Secure locking system for height adjustment.
- Height adjustment form 120 mm (min) to 210 cm (max).
- 4 Stainless Steel safety hooks.
- Knock down construction.

#### Options

Stainless Steel 2 Hooks.



**Description:** Infusion Stand  
**Art No:** SU-24-7893  
**Finish:** Epoxy Powder Coated

**Standard Features:**

- Telescopic mild steel tube fitted on heavy cast iron base.
- 3 twin wheels swivel casters Ø 50 mm.
- Secure locking system for height adjustment.
- Height adjustment from 120 cm (min) to 210 cm (max)
- 2 stainless steel safety hooks.
- Knock down construction.

**Options**

- Aluminum base 4 feet
- Aluminum base 5 feet



**Description:** Halogen Examination Light  
**Art No:** SU-24-7894  
 Adjustable height, with step down  
 adopter, halogen bulb 12V, 35W,  
 10° angle of emission with UV block  
 front glass.

**Standard Features:**

- Stainless Steel 18 / 10 central Tube.
- Reinforced Nylon Base with 5 feet.
- 5 twin wheel PU swivel castors Ø 50 mm.
- flexible glass neck Arm 700 mm.
- Knock down construction.

**Options**

- Adjustable or fixed height.
- Wall mounting angle plate.
- Table mounting clamp.



**Description:** Cylinder Trolley (Large)  
**Art No:** SU-25-7895  
**Dimension:** Suitable for 120 CU. Ft capacity gas Cylinder  
**Finish:** Epoxy Powder Coated


**Standard Features:**

- Construction of steel epoxy coated material .
- Easy loading of cylinder from front .
- Secure cylinder retaining mechanism.
- Mask storage hook with handle.
- High quality Ø 125 mm rubber wheels ensure smooth ride, and are inoperative when trolley is stationary.

**Description:** Cylinder Trolley (Small)  
**Art No:** SU-25-7896  
**Dimension:** Suitable for 48 CU. Ft capacity gas Cylinder  
**Finish:** Epoxy Powder Coated

**Standard Features:**

- Construction of steel epoxy coated material .
- Easy loading of cylinder from front .
- Secure cylinder retaining mechanism.
- Mask storage hook with handle.
- High quality Ø 100 mm rubber wheels ensure smooth ride, and are inoperative when trolley is stationary.





**Description:** Mayo Instruments Trolley  
**Art No:** **SU-26-7897**  
**Dimension:** L(53), W(40), H(96-150) cm  
**Finish:** Chrome Plated

**Description:** Mayo Instruments Trolley  
**Art No:** **SU-26-7898**  
**Dimension:** L(53), W(40), H(96-150) cm  
**Finish:** Chrome Plated

**Standard Features:**

- Frame made of rectangular steel tube.
- Stainless Steel tray.
- Secure locking system for height adjustment.
- Height adjustable from 960 to 1500 mm.
- Twin wheel castor Ø 50 mm.
- Knock down construction.

**Option**

Same as above in Epoxy Powder Coated Colour

**Description:** Mayo Table  
**Art No:** **SU-26-7899**  
**Dimension:** L(53), W(40), H(96-150) cm  
**Finish:** Epoxy Powder coated

**Standard Features:**

- Frame made of round steel tube.
- Stainless steel tray.
- Secure locking system for height adjustment.
- Height adjustable from 960 to 1500mm
- Two Ø 50 mm wheels and two rubber stumps.
- Knock down construction.





**Description:** Linen Trolley  
**Art No:** SU-27-7900  
**Finish:** Chrome Plated

**Standard Features:**

- Structure made from round tube.
- Linen changing trolley with two shelves and one bag for soiled linen.
- Mobile on swivel wheels Ø 75 mm.
- Removable nylon linen bag.
- Impact absorbing buffers.



**Description:** Linen Trolley  
**Art No:** SU-27-7901  
**Finish:** Chrome Plated

**Standard Features:**

- Structure made from round tube.
- Soiled linen trolley with two bags.
- Mobile on swivel wheel Ø 75 mm.
- Removable nylon linen bag.



**Description:** Linen Trolley  
**Art No:** SU-27-7902  
**Finish:** Chrome Plated

**Standard Features:**

- Structure made from round tube.
- Soiled linen trolley with one bag.
- Mobile on swivel wheel Ø 75 mm.
- Removable nylon linen bag.

**Options:**

Available in Powder Coated paint.  
 Impact absorbing buffers.



Description: Dressing Trolley  
 Art No: **SU-28-7903**  
 Dimension: 60 (L) x 45 (w) x 85 (H) cm

Art No: **SU-28-7904**  
 Dimension: 60 (L) x 45 (w) x 85 (H) cm  
 Finish: Chrome Plated

#### Standard Features:

- Structure made from square mild Steel Tube.
- Stainless Steel raised edge trays.
- Noiseless rubber swivel wheels Ø 75mm
- Knock down construction

#### Options

Stainless Steel drawer.  
 Basin holder with S/S Basin Ø 20 cm.  
 2 wheels with brake.  
 Impact absorbing Buffers.  
 Available in Epoxy Powder Coated Colors



Description: Dressing Trolley (Three Shelves)  
 Art No: **SU-28-7905**  
 Dimension: L(60),W(45),H(85) cm  
 Finish: Chrome Plated

#### Standard Features:

- Frame made of mild Steel round Tube.
- Stainless Steel raised edge trays.
- Three shelves.
- Knock down construction.
- Four Ø 75 mm wheels.

Description: Dressing Trolley (Two Shelves)  
 Art No: **SU-28-7906**  
 Dimension: L(60),W(45),H(85) cm  
 Finish: Chrome Plated

#### Standard Features:

- Frame made of round Mild Steel Tube..
- Stainless Steel raised edge trays.
- Two shelves.
- Knock down construction.
- Four Ø 75 mm wheels.

#### Options

Stainless Steel drawer.  
 Basin holder with S/S Basin Ø 20 cm.  
 2 wheels with brake.  
 Impact absorbing Buffers.  
 Available in Epoxy Powder Coated Colors






**Description:** Instrument Trolley with two shelves (large)  
**Art No:** SU-29-7907  
**Dimension:** L(76),W(46),H(85)cm  
**Finish:** Stainless Steel

**Standard Features:**


- ➡ Frame made from Stainless Steel round pipe tube.
- ➡ Flat Tray made from stainless Steel sheet with side guard.
- ➡ Knock down construction.
- ➡ Four Ø 75 mm wheels.



**Description:** Instrument Trolley with two shelves (Medium)  
**Art No:** SU-29-7908  
**Dimension:** L(60),W(46),H(85)cm  
**Finish:** Stainless Steel

**Standard Features:**

- ➡ Frame made from Stainless Steel round pipe tube.
- ➡ Flat tray made from stainless Steel with side guard.
- ➡ knock down construction.
- ➡ Four Ø 75 mm wheels.



**Description:** Instrument Trolley with two shelves (Small)  
**Art No:** SU-29-7909  
**Dimension:** L(46),W(46),H(85)cm  
**Finish:** Stainless Steel

**Standard Features:**

- ➡ Frame made from Stainless Steel round pipe tube.
- ➡ Flat tray made from stainless Steel with side guard .
- ➡ knock down construction.
- ➡ Four Ø 75 mm wheels.

**Options**

- Stainless Steel drawer.
- Basin holder with S/S Basin Ø 20 cm.
- 2 wheels with brake.
- Impact absorbing Buffers.
- Available in Epoxy Powder Coated Colors



**Description:** Dressing Trolley  
**Art No:** SU-30-7910  
**Dimension:** L(76),W(46),H(85)  
**Finish:** Stainless Steel

**Standard Features:**

- Frame completely made from s/s rectangular tube.
- Trays made from s/s sheet, two with raised edges.
- Solid wire side guard with glass hanger rings.
- One bowl and small tray on top.
- One bucket
- Easy movement on four Ø 75mm rubber wheels.
- Knock down construction.

**Options**

Rubber safety bumper wheels.  
 wheels with brakes.  
 Same as above in Epoxy Powder Coated

**Description:** Wash Basin Trolley (Single)  
**Art No:** SU-30-7911  
**Dimension:** 45 (L) x 40 (w) x 84 (H) cm  
**Finish:** Stainless Steel

**Standard Features:**

- Frame made from round Stainless Steel Tube.
- Mobile on PU swivel wheels Ø 75 mm.
- One stainless steel basin, 6 liter capacity.
- Knock down construction

**Description:** Wash Basin Trolley (Double)  
**Art No:** SU-30-7912  
**Dimension:** 80 (L) x 40 (w) x 84 (H) cm  
**Finish:** Stainless Steel

**Standard Features:**

- Frame made from round Stainless Steel Tube .
- Mobile on PU swivel wheels Ø 75 mm.
- Two stainless steel basin 12 liter capacity.
- Knock down construction

**Option**

Same as above in Epoxy powder coated paint





**Description:** Stretcher Trolley Manually Hi-Low  
**Art No:** **SU-31-7913**  
**Dimension:** 200 (L), 63 (w), 80 (H) cm  
**Finish:** Epoxy Powder Coated

**Standard Features:**

- Main Frame made of rectangular Mild Steel Tube.
- Manually operated height adjustment activated by hand-crank located on foot side.
- Height adjustable min to max.
- Remove able stretcher top.
- Foldable side guard.
- Easy mobility on four Ø 150 mm heavy duty swivel rubber wheel.

**Options**

- Drip Pole.
- Stainless Steel Removable Top.


**Description:** Stretcher Trolley Fixed  
**Art No:** **SU-31-7914**  
**Dimension:** 200 (L), 63 (w), 80 (H) cm  
**Finish:** Epoxy Powder Coated

**Standard Features:**

- Structure made from Mild Steel Tube.
- Removable Epoxy Coated top.
- Mounted on Ø 150 mm rubber swivel wheels.
- Knock down construction.

**Options**

- Drip Pole.
- 5cm Thick mattress with water proof cover.
- Stainless Steel Removable Top.





**Description:** Patient Trolley  
**Art No:** SU-32-7915  
**Dimension:** 200 (L), 63 (w), 80 (H) cm  
**Finish:** Epoxy Powder Coated

**Standard Features:**

- ➡ Structure made from mild steel Tube.
- ➡ Removable Stainless Steel top.
- ➡ Mounted on Ø 150 mm rubber swivel wheels, 2 with brake.
- ➡ Knock down construction.

**Options**

Drip Pole, Two hooks  
 5cm Thick mattress with water proof covers  
 Folding side rails Oxygen cylinder holder  
 blanket tray.

**Description:** Patient Trolley with Adjustable Backrest  
**Art No:** SU-32-7916  
**Dimension:** 200 (L), 63 (w), 80 (H) cm  
**Finish:** Epoxy Powder Coated


**Standard Features:**

- ➡ Structure made from Mild Steel Tube.
- ➡ Fixed Stainless Steel top.
- ➡ Single hand operated adjustable backrest by means of Comb System .
- ➡ Mounted on Ø150 mm rubber swivel wheels, 2 with brake.
- ➡ Impact absorbing Buffers.
- ➡ Knock down construction.

**Options**

Drip Pole, Two hooks  
 5cm Thick mattress with water proof cover.  
 Oxygen cylinder holder blanket tray.  
 Folding side rails.





Description: Pedal Bins  
 Art No: **SU-33-7917**  
 Dimension: (H 33.5 x Ø 23.5 )cm  
 Capacity 12 Liters.

Art No:  
 Dimension: **SU-33-7918**  
 (H 53.5 x Ø 30.0 )cm  
 Capacity 20 Liters.

**Standard Features:**

- Constructed of Stainless Steel 18 / 10 sheet.
- Inner waster receptacle made from durable plastic.
- Foot operated Lid rests on plastic ring when closed to avoid noisy collision.

Description: Kick Bucket and Bowl  
 Art No: **SU-33-7919**  
 Dimension: Base Dia 40 x Height 36  
 Capacity 15 Liters.

Art No: **SU-33-7920**  
 Dimension: (Base Dia 40 x Height 18.5  
 Capacity 8 Liters.



**Standard Features:**

- 5 Leg stainless Steel 18 /10 tube base.
- 5 vertical supports with rubber sleeves to hold the bucket or Bowl.
- Mobile on 5 twin wheel PU swivel Castors Ø 50 mm.



# HOLLOWWARE




**Needle Case Round with Cover**  
30-5301-01 65x15mm




**Needle Case Round**  
30-5302-01 80x20mm



**Needle Case Rectangle**  
30-5303-01 70x70x10mm



**Endodontic Box**  
30-5304-01  
100x40x50mm



**Tube Rack**

30-5305-01 6.35x15.25x5cm for 12 tubes  
30-5305-02 6.35x17.75x7.5cm for 27 tubes  
30-5305-03 7.50x17.75x6.35cm for 36 tubes



**Sprit Lamp**  
30-5306-01  
Standard Size



**Sprit Lamp**  
30-5307-01  
Standard Size



**Sputum Cup**

30-5308-01 75x80mm  
30-5308-02 100x50mm  
30-5308-03 100x80mm



**Dressing Jar**

30-5309-01	80x60mm	30-5310-01
30-5309-02	80x80mm	30-5310-02
30-5309-03	100x100mm	30-5310-03
30-5309-04	120x120mm	30-5310-04
30-5309-05	150x150mm	30-5310-05
30-5309-06	180x180mm	30-5310-06
30-5309-07	200x200mm	30-5310-07



**Dressing Jar**



**Fennle**

30-5312-01 100mm Ø  
30-5312-02 120mm Ø  
30-5312-03 150mm Ø  
30-5312-04 200mm Ø



**Cotton Holder**  
30-5311-01



**Cotton Holder**  
30-5311A-01





**Forceps Jar**

- 30-5313-01 30x90mm
- 30-5313-02 50x125mm
- 30-5313-03 50x170mm
- 30-5313-04 50x200mm
- 30-5313-05 40x230mm
- 30-5313-06 70x110mm
- 30-5313-07 80x150mm
- 30-5313-08 100x200mm
- 30-5313-09 150x30mm




**Medicine Cup**

- 30-5316-01 50ml
- 30-5316-02 60ml
- 30-5316-03 70ml



**Kick Bucket with Trolley**

- 30-5319-01
- 390x280x180mm



**Gallipot**

- |                  |                  |
|------------------|------------------|
| 30-5314-01 01 oz | 30-5314-09 09 oz |
| 30-5314-02 02 oz | 30-5314-10 10 oz |
| 30-5314-03 03 oz | 30-5314-11 11 oz |
| 30-5314-04 04 oz | 30-5314-12 12 oz |
| 30-5314-05 05 oz | 30-5314-13 13 oz |
| 30-5314-06 06 oz | 30-5314-14 14 oz |
| 30-5314-07 07 oz | 30-5314-15 15 oz |
| 30-5314-08 08 oz | 30-5314-16 16 oz |



**Sponge Bowl**

- 30-5315-01 12 cm
- 30-5315-02 15 cm
- 30-5315-03 20 cm



**Lotion Bowl without spout**

- |                     |                      |
|---------------------|----------------------|
| 30-5317-01 40x19mm  | 30-5317-08 150x65mm  |
| 30-5317-02 50x25mm  | 30-5317-09 180x85mm  |
| 30-5317-03 60x30mm  | 30-5317-10 200x100mm |
| 30-5317-04 80x40mm  | 30-5317-11 250x120mm |
| 30-5317-05 100x50mm | 30-5317-12 300mm     |
| 30-5317-06 120x60mm | 30-5317-13 350mm     |
| 30-5317-07 140x60mm | 30-5317-14 400mm     |




**Wash Basin**

- 30-5318-01 300x80mm
- 30-5318-02 320x85mm
- 30-5318-03 330x90mm
- 30-5318-04 350x110mm
- 30-5318-05 400x115mm



**Kidney Tray Shallow**

- 30-5320-01 17cm
- 30-5320-02 22cm
- 30-5320-03 24cm




**Kidney Tray**

- 30-5321-01 12cm
- 30-5321-02 15cm
- 30-5321-03 18cm
- 30-5321-04 20cm
- 30-5321-05 25cm
- 30-5321-06 28cm
- 30-5321-07 30cm




**Kidney Tray (with cover)**

- 30-5322-01 15cm
- 30-5322-02 20cm
- 30-5322-03 25cm
- 30-5322-04 30cm



### Wire Mesh Tray

- 30-5323-01 240x250x5mm
- 30-5323-02 480x250x5mm
- 30-5323-03 550x250x5mm
- 30-5323-04 240x250x7mm
- 30-5323-05 480x250x7mm
- 30-5323-06 240x250x10mm
- 30-5323-07 480x250x10mm



### Wire Mesh Tray with Lid

- 30-5324-01 240x250x5mm
- 30-5324-02 480x250x5mm
- 30-5324-03 550x250x5mm
- 30-5324-04 240x250x7mm
- 30-5324-05 480x250x7mm
- 30-5324-06 240x250x10mm
- 30-5324-07 480x250x10mm



### Perforated Tray

- 30-5325-01 200x100x40mm
- 30-5325-02 250x120x50mm
- 30-5325-03 300x150x50mm
- 30-5325-04 350x170x50mm
- 30-5325-05 400x200x50mm



### Instruments Tray without Lid

- 30-5326-01 100x150x25mm
- 30-5326-02 150x200x40mm
- 30-5326-03 200x250x45mm
- 30-5326-04 250x300x50mm
- 30-5326-05 300x350x50mm
- 30-5326-06 150x300x50mm
- 30-5326-07 200x300x50mm
- 30-5326-08 230x150x50mm




### Instruments Tray with Lid


- 30-5327-01 100x150x25mm
- 30-5327-02 150x200x40mm
- 30-5327-03 200x250x45mm
- 30-5327-04 250x300x50mm
- 30-5327-05 300x350x50mm
- 30-5327-06 150x300x50mm
- 30-5327-07 200x300x50mm
- 30-5327-08 230x150x50mm



**Burr Tray**  
30-5328-01  
190x100x20mm



**Cathetes Tray with Lid**  
30-5329-01 300x80x40mm  
30-5329-02 350x90x45mm  
30-5329-03 400x100x50mm




**Scaler Tray with cover**  
30-5330-01  
200x100x16mm



**Instruments Box  
with Hooks**

- 30-5331-01 170x70x30mm
- 30-5331-02 180x80x40mm
- 30-5331-03 200x100x40mm
- 30-5331-04 230x120x50mm
- 30-5331-05 250x125x50mm
- 30-5331-06 300x150x50mm
- 30-5331-07 350x170x50mm
- 30-5331-08 400x200x90mm
- 30-5331-09 500x200x120mm



**Instruments Box**

- 30-5332-01 170x70x30mm
- 30-5332-02 180x80x40mm
- 30-5332-03 200x100x40mm
- 30-5332-04 230x120x50mm
- 30-5332-05 250x125x50mm
- 30-5332-06 300x150x50mm
- 30-5332-07 350x170x50mm
- 30-5332-08 400x200x90mm
- 30-5332-09 500x200x120mm



**Instruments Box  
Perforated**

- 30-5333-01 200x100x40mm
- 30-5333-02 250x150x40mm
- 30-5333-03 300x150x40mm



**Electric Sterilizer**

- 30-5334-01 200x100x120mm
- 30-5334-02 250x120x140mm
- 30-5334-03 300x150x150mm
- 30-5334-04 350x170x170mm
- 30-5334-05 400x200x180mm
- 30-5334-06 450x230x190mm



**Non Electric Sterilizer**

- 30-5335-01 200x100x65mm
- 30-5335-02 250x125x65mm
- 30-5335-03 300x150x100mm
- 30-5335-04 350x170x65mm
- 30-5335-05 400x200x100mm



**Electric Sterilizer**  
30-5336-01  
280x125x65mm

- 30-5337-01 125x80mm
- 30-5337-02 125x120mm
- 30-5337-03 150x100mm
- 30-5337-04 150x150mm
- 30-5337-05 180x180mm
- 30-5337-06 190x140mm
- 30-5337-07 190x190mm
- 30-5337-08 200x200mm
- 30-5337-09 240x120mm
- 30-5337-10 240x240mm
- 30-5337-11 290x140mm
- 30-5337-12 290x240mm
- 30-5337-13 290x290mm
- 30-5337-14 340x160mm
- 30-5337-15 340x340mm
- 30-5337-16 390x150mm
- 30-5337-17 390x200mm
- 30-5337-18 390x290mm



**Sterilizer Drum**



**Bedpan Hand Made**  
30-5338-01  
Standard



**Bedpan Hand Made**  
30-5339-01 Adult  
30-5339-02 Child



**Bedpan Hand Made**  
30-5340-01  
Standard




**Bedpan Simple**  
pressed body with handle  
30-5342-01 Adult  
30-5342-02 Child



**Bedpan Sleeper Type**  
30-5343-01 Adult  
30-5343-02 Child



**Bedpan Chamber Port**  
30-5344-01  
Standard



**Urinal Female**  
30-5345-01  
Standard

**Urinal Male Vertical**  
30-5346-01  
Standard

**Urinal Male**  
30-5347-01  
Standard



**Bedpan perfection  
type seamless**  
30-5348-01  
350x300mm



**Bedpan perfection type**  
30-5349-01 370x290mm  
30-5349-02 320x240mm



### Dustbin

30-5351-01 210mm  
30-5351-02 240mm  
30-5351-03 270mm  
30-5351-04 300mm



### Pail/Bucket with Lid

30-5350-01 06 Ltr  
30-5350-02 10 Ltr  
30-5350-03 15 Ltr



### Measuring Jug

30-5352-01 0.5 Ltr  
30-5352-02 1.0 Ltr  
30-5352-03 1.5 Ltr  
30-5352-04 2.0 Ltr



### Douch Can/Irrigator

30-5353-01 1.0 Ltr  
30-5353-02 1.5 Ltr  
30-5353-03 2.0 Ltr

# Hospital Furniture & Hollowware



## **SU Medical Corp.**

Chan Ragian, Commissioner  
Road, Sialkot - 51310,  
Pakistan.

Tel: 0092 524 587780

Fax: 0092 524 581780

Export: 0092 524 566448

Email: [info@sumedicalcorp.com](mailto:info@sumedicalcorp.com)

Website: [www.sumedicalcorp.com](http://www.sumedicalcorp.com)